




Tract-Density Imaging

[Calamante NeuroImage 2010]


Single HCP subject

TDI @ 0.2mm






Diffusion Tractography





Overview


- Goal of tractography
- Estimating Fibre Orientations - BEDPOSTX
- Probabilistic Tractography - PROBTRACKX
- ProbtrackX outputs
- Tractography limitations





Overview

- Goal of tractography
- Estimating Fibre Orientations - BEDPOSTX
- Probabilistic Tractography - PROBTRACKX
- ProbtrackX outputs
- Tractography limitations






What is Tractography?



Post-mortem
dissection of some
white matter fibre
bundles (tracts)

Williams, Gluhbegovic, and Jew, "The Human Brain"; Dissections of the Real brain", Virtual Hospital, University of Iowa, 1997


Tractography
The post-imaging
reconstruction of fibre bundles/
anatomical connections in the
brain using a set of DW images.
(in-vivo virtual dissection)







DTI tractography

v_1 map
Principal Diffusion Direction



Principal Diffusion
Direction





Assumption:

Direction of maximum diffusivity
(in anisotropic voxels)
is an estimate of the major fibre
orientation.




DTI tractography




Problems of scale

Microscopic view of white
matter axon size ($\sim\mu\text{m}$)



MRI voxel size ($\sim\text{mm}$)




Ohno et al. 2013



Connectivity - Why do we care?

- White matter (dys)connectivity is thought to form the substrate for many different neurological and psychiatric disorders.




Catani and Ffytche 2005



Connectivity - Why do we care?


- Tractography provides non-invasive localisation and semi-quantitative biomarkers






Connectivity - Why do we care?


- Connections constrain function
- Different regions have distinct connectivity fingerprints



Afferents of F3





Afferents of F5




Tractography outputs

Known white matter tracts




Connectivity matrices


ROI by ROI



voxel by ROI



voxel by voxel






What does tractography offer?

- + non-invasive
- + in-vivo
- + whole brain
- + can address new questions

...But

- low resolution (large bundles)
- indirect (diffusion paths)
- error prone (MRI is noisy)
- difficult to interpret quantitatively




Lawes et al. 2008



Overview


- Goal of tractography
- **Estimating Fibre Orientations - BEDPOSTX**
- Probabilistic Tractography - PROBTRACKX
- ProbtrackX outputs
- Tractography limitations







DTI tractography

v_1 map
Principal Diffusion Direction



Principal Diffusion
Direction




Assumption:

Direction of maximum diffusivity
(in anisotropic voxels)
is an estimate of the major fibre
orientation.



But is WM always coherently organised within a voxel?




Unfortunately not, complex fibre patterns (e.g. crossings) are very common at the voxel scale.




Predictions from the tensor model no crossing fibres

One orientation

Measured
Signal
Shape




Predicted
Signal
Shape




DTI
Ellipsoid



Prediction &
Measurements
in 2D







Predictions from the tensor model crossing fibres

Two orientations


Measured
Signal
Shape




Predicted
Signal
Shape




DTI
Ellipsoid



Prediction &
Measurements
in 2D







Predictions from the tensor model crossing fibres

Three Orientations


Measured
Signal
Shape




Predicted
Signal
Shape



DTI
Ellipsoid



Prediction &
Measurements
in 2D






How good is the DTI Model in regions with crossing fibres?

- In voxels containing two crossing bundles, the tensor ellipsoid is pancake-shaped (oblate, planar tensor).
- In voxels containing three crossing bundles, the tensor ellipsoid is spherical.
- In these areas, DTI \mathbf{v}_1 is meaningless.



Prolate Tensor

$$\lambda_1 \gg \lambda_2, \lambda_3$$



Spherical Tensor

$$\lambda_1 = \lambda_2 = \lambda_3$$



Oblate Tensor


$$\lambda_1 = \lambda_2 \gg \lambda_3$$

Uncertainty on DTI Fibre Orientation Estimates

Repeat an acquisition many times and obtain the variability in \mathbf{v}_1 from the different datasets.

Uncertainty Sources

- Modelling errors
- Noise




Cones of uncertainty on DTI \mathbf{v}_1



Do we have to use the DTI model to estimate orientations? Not really, many models exist

DTI model (dtifit)

Ball & sticks model (bedpostx)



Anisotropic Volume Fraction (unknown)

Diffusivity (unknown)

Fibre Orientation (unknown)

$$s_j = s_0 [(1-f)\exp(-b_j d) + f \exp(-b_j d (\mathbf{x}_j^T \mathbf{v})^2)]$$

Measured Signal for Gradient j


b-value for gradient j (known)

Unit vector representing the direction of gradient j (known)



Ball & Sticks Model

Unlike the DT model, it can represent many orientations



- Anisotropic tensors (sticks) with isotropic background (ball)
- Fibre Orientations modelled explicitly and separated from isotropic partial volumes

Anisotropic Volume Fractions (unknown)

Diffusivity (unknown)

Max number of sticks (user-defined)


Fibre Orientation (unknown)

$$s_j = s_0 \left[(1 - \sum f_n) \exp(-b_j d) + \sum f_n \exp(-b_j d (\mathbf{x}_j^T \mathbf{v}_n)^2) \right]$$

Measured Signal for Gradient j

b-value for gradient j (known)

Unit vector representing the direction of gradient j (known)




Predictions from the ball and sticks model crossing fibres

Measured
Signal Shape



Prediction &
Measurement in 2D

Two orientations




DTI

Ball & sticks



Three orientations







How can we estimate uncertainty?

- Remember ... a long time ago in the world of fMRI ...
- We estimated two things:
 - A cope file (the parameters)
 - A varcope file (uncertainty in these parameters)
- We estimated our parameters, and their uncertainty from a single dataset.
- Can we do a similar thing with parameters estimated for the ball & sticks model?
 - In the context of GLM, we have analytic formulas
 - For diffusion (especially orientations) we don't

Markov Chain - Monte Carlo (MCMC) Sampling




Output in Each voxel = Distributions of Parameters



WM

DTI ellipsoid

Orientation Distribution




This panel illustrates the representation of White Matter (WM). On the left, a teal, elongated ellipsoid is labeled "DTI ellipsoid". On the right, a bundle of black lines representing fiber orientations is labeled "Orientation Distribution".

GM/CSF

DTI ellipsoid

Orientation Distribution




This panel illustrates the representation of Gray Matter/CSF (GM/CSF). On the left, a teal, spherical ellipsoid is labeled "DTI ellipsoid". On the right, a circular arrangement of many black lines radiating from a central point is labeled "Orientation Distribution".



Ball & Sticks Model Selection

- Model selection problem: One, two or more fibres within a voxel?
- Automatic Relevance Determination: Only estimate complexity that is supported by the data





Modelling Complex Fibre Architectures


Automatic Relevance Determination (A.R.D.)

--- Measured Signal
— Model Predicted Signal

Model with one stick

Model with two sticks

Signal for one
fibre configuration



- No benefit from including a 2nd fibre => 2nd volume fraction goes to zero




Modelling Complex Fibre Architectures


Automatic Relevance Determination (A.R.D.)

- After running BedpostX all voxels will have estimated parameters for the maximum number of sticks requested.
- But due to ARD, the sticks that are not supported in a voxel will have an almost zero volume fraction.
- We use a threshold (e.g. $>5\%$) to **exclude sticks with tiny volume fraction.**


Stick1



Stick2




Stick3







Ball & Sticks Orientations

All sticks, with secondary ones
thresholded ($f_n > 5\%$)




Orientations RGB-colour coded







DTI vs Ball & Sticks Orientations

DTI




Ball & Sticks





A large portion of the WM supports crossing fibres



Coherence in orientations shows that we are not over-fitting (the ARD works)



Multi-Shell Diffusion Acquisitions







Why bother?

One Orientation

Two Orientations

Three Orientations

Signal at different
b values
(s/mm²)
b=1000
b=2000
b=3000
b=4000
b=5000



Higher b value gives us more angular contrast!!!





Multi-Shell Diffusion Acquisitions







Why bother?

One Orientation

Two Orientations

Three Orientations

Signal at different
b values
(s/mm²)
b=1000
b=2000
b=3000
b=4000
b=5000



b=300

b=1000

b=2000

b=3000



But SNR
goes down
very quickly
with b...






Generalised Ball & sticks Model Gets best of both worlds

- Multi-shell model (or model=2) in Bedpostx options.
- Allows representation of multiple diffusivities within a voxel (rather than just one).
- More accurate model for multi-shell data & partial volume effects.


Human Connectome Project Data



*Jbabdi, Sotiropoulos et al, MRM 2012

* Sotiropoulos, Jbabdi et al, NeuroImage 2013

Faster bedpostx on GPUs




Directions number: 64 128 256

50x-150x Speedup using GPUs



Overview


- Goal of tractography
- Estimating Fibre Orientations - BEDPOSTX
- **Probabilistic Tractography - PROBTRACKX**
- ProbtrackX outputs
- Tractography limitations





DTI Streamline Tractography

Seed
region



Formally, we solve numerically the differential equation:

$$\frac{d\mathbf{r}(s)}{ds} = \mathbf{v}_1(\mathbf{r}(s)), \quad \mathbf{r}(0) = \mathbf{r}_0$$

Position
along a curve

Principal eigenvector
 \mathbf{v}_1 at position $\mathbf{r}(s)$

Starting
Position



DTI Streamline Tractography


But When to Stop?

Heuristics to avoid error propagation.

+ Knowledge of the anatomy


Curvature Change Threshold: To avoid crossings of boundaries and very bended trajectories, impose a smoothness criterion.

Anatomical criteria (e.g. reach grey matter)





Streamline tractography can dissect major bundles



arcuate fasciculus




cingulum bundle




inferior longitudinal fasciculus



corpus callosum




inferior fronto-occipital



fornix



uncinate fasciculus



corona radiata



cerebellar tracts




DTI Streamline Tractography Summary

- Use the major axis of the DTI ellipsoid as a fibre orientation estimate.
- Propagate curves within this vector field until empirical thresholds are exceeded.
- Major fibre bundles can be reconstructed.



But is WM always coherently organised within a voxel?



Unfortunately not, complex fibre patterns (e.g. crossings) are very common at the voxel scale.




Streamlining reproducibility

Repeat an acquisition many times and repeat streamline tracking.


Due to uncertainty in \mathbf{v}_1 , curves will not perfectly overlap

Create a map that shows the degree of overlap across the trials.

Streamlines from a single dataset



Map that shows where results across datasets overlap



Low Reproducibility

High Reproducibility






Probabilistic Tractography

- We normally have one dataset per subject, not many.
- Probabilistic Tractography as a two-step process:
 - a) Use DWI data and a model to infer a fibre orientation **and its uncertainty** in each voxel.
 - b) Use the estimates **and the uncertainty to build a path probability map** to a seed.




Probabilistic tractography

- But now, we no longer have a single direction at each voxel. How can we do tractography?



'Streamlining'




Probabilistic tractography

Behrens et al, 2003, Parker et al. 2003,
Hagmann et al 2003, Jones et al. 2004



Probabilistic Tractography - Propagating the Uncertainty




Behrens et al, 2003
Parker et al, 2003

- Propagate N streamlines from a seed, but for each propagation step choose randomly an orientation from the underlying distribution.
- Build a spatial distribution of curves that mimics the overlapped results from multiple deterministic tracking on multiple scans



Probabilistic Tractography - Propagating the Uncertainty



Behrens et al, 2003
Parker et al, 2003

Define the degree of overlap at each location B, as:

$$P_{AB} = M/N$$


M: number of streamlines that go through B

N: total streamlines generated from A

This is the probability of a curve starting at A and going through B.



Probabilistic Tractography - Propagating the Uncertainty




Behrens et al, 2003
Parker et al, 2003


- Can now propagate through isotropic regions (e.g. GM).
- Do not need to stop when anisotropy is low, as in deterministic tracking.
 - The high uncertainty will be reflected in the probability map.
- Still impose a curvature threshold to avoid swirled trajectories.



Probabilistic Tractography in Multi-Fibre Fields



Behrens et al, 2003, Parker et al. 2003,
Hagmann et al 2003, Jones et al. 2004



Parker & Alexander 2003,
Behrens et al, 2007



When multiple fibre orientations exist in a voxel, choose the one that is most compatible with the incoming trajectory.

Probabilistic Tractography in Multi-Fibre Fields

Examples

Cortico-spinal tracts.
9 subjects

Behrens et al, 2007



one fibre



two fibres

* If one fibre is modelled and we track through a crossing, a) we may not make it through the crossing, b) if we make it, the connectivity index will be relatively low.

Probabilistic Tractography in Multi-Fibre Fields

Examples

Acoustic radiations.
9 subjects
Behrens et al, 2007







Path Probability Map

- Recall that it assesses how reproducible results are
- Often called “connection probability”, “connectivity index”, “connectivity strength”. But it does not quantify how strong a connection is...
- Rather, how robust it is against noise/uncertainty

Deterministic Tractography



Probabilistic Tractography



Low Probability


High Probability





Probabilistic Streamline Tractography Summary


- Needs apart from orientation estimates, an estimate of their uncertainty. Does not need to be the ball and stick model, the DTI model can be used instead!
- Propagate streamlines repeatedly from a seed, but the orientation field is no longer deterministic. In each propagation step choose randomly an orientation from the underlying distribution.
- A connection probability value ≥ 0 can be obtained from a seed A to any voxel in the brain B. This assesses **the reproducibility of the path from A to B, along which water molecules preferably diffuse.**







Overview

- Goal of tractography
- Estimating Fibre Orientations - BEDPOSTX
- Probabilistic Tractography - PROBTRACKX
- **ProbtrackX outputs**
- Tractography limitations




ProbtrackX outputs

Known white matter tracts




Connectivity matrices


ROI by ROI



voxel by ROI




voxel by voxel



Adding Prior Knowledge to Tractography

- Because of the uncertainty propagation, the spatial distribution of paths is often very wide.




Low Probability

High Probability



Adding Prior Knowledge to Tractography

Fdt GUI:



Once a seed is specified, prior anatomical knowledge can be imposed to assist the dissection of a specific tract.

Waypoint ROIs

If a curve does not go through, it is discarded.

Exclusion ROI

If a curve goes through, it is discarded.


Termination ROI

If a curve goes through, it is terminated.

Adding Prior Knowledge to Tractography

Cortico-spinal tract

Seed: M1, hand area




No ROIs

Adding Prior Knowledge to Tractography

Cortico-spinal tract

Seed: M1, hand area




Exclusion: Mid-Sagittal plane

Adding Prior Knowledge to Tractography

Cortico-spinal tract

Seed: M1, hand area





Waypoint: Internal Capsule

Adding Prior Knowledge to Tractography

Corpus Callosum

Seed: dorsal PMC




No ROIs

Adding Prior Knowledge to Tractography


Corpus Callosum

Seed: dorsal PMC




Waypoint: Corpus Callosum


Surfaces as constraints




No surface constraint



Surface as termination mask




How to use masks in standard space?




- Register to standard space
 - b0 or FA -> T1w -> standard T1w
 - FA -> standard FA
- **Don't** transform masks -> diffusion space
- **Don't** transform diffusion -> standard space

Tell probtrackX about transform:



XTRACT: generating tracts for you




<https://fsl.fmrib.ox.ac.uk/fsl/fslwiki/XTRACT>





Connectivity - Why do we care?

- Tractography provides non-invasive localisation and semi-quantitative biomarkers




ProbtrackX outputs

Known white matter tracts




Connectivity matrices


ROI by ROI



voxel by ROI




voxel by voxel













Connectivity between ROIs



Resulting matrix:

				
		?	?	?
	?		?	?
	?	?		?
	?	?	?	




























Connectivity between ROIs

- Seed from **blue**
- Other ROIs are waypoints
- Fill first row of matrix

Resulting matrix:

Target ROIs

				
 Seed ROIs				
				
				
				














Connectivity between ROIs

- Seed from **yellow**
- Other ROIs are waypoints
- Fill first row of matrix

Resulting matrix:

Target ROIs

				
		?	?	?
	?		?	?
	?	?		?
	?	?	?	














Connectivity between ROIs

- Seed from **green**
- Other ROIs are waypoints
- Fill first row of matrix

Resulting matrix:

Target ROIs

				
		?	?	?
	?		?	?
	?	?		?
	?	?	?	














Connectivity between ROIs

- Seed from **copper**
- Other ROIs are waypoints
- Fill first row of matrix

Resulting matrix:

Target ROIs

				
		?	?	?
	?		?	?
	?	?		?
	?	?	?	














Connectivity between ROIs

$$P(\blacksquare \leftrightarrow \blacksquare) = (P(\blacksquare \leftarrow \blacksquare) + P(\blacksquare \rightarrow \blacksquare)) / 2$$

Resulting matrix:


Target ROIs

				
		?	?	?
	?		?	?
	?	?		?
	?	?	?	






Connectivity between ROIs




Fdt GUI:





Connectivity between voxels and ROIs



Resulting matrix:

Target ROIs




Seed voxels

?	?	?
?	?	?
?	?	?
?	?	?

⋮







Connectivity between voxels and ROIs



Resulting matrix:


Target ROIs

Seed voxels

			
	?	?	?
	?	?	?
	?	?	?
	?	?	?
	?	?	?
	⋮	⋮	⋮



Connectivity between voxels and ROIs



Resulting matrix:

Target ROIs




Seed voxels

?	?	?
?	?	?
?	?	?
?	?	?

⋮



Connectivity between voxels and ROIs



Resulting matrix:

Target ROIs



Seed voxels

?	?	?
?	?	?
?	?	?
?	?	?

⋮

etc...




Segmenting the thalamus


VL → M1






no contrast on conventional MRI



MD → PFC



Behrens et al, 2003
(probabilistic tractography)




Rouiller et al, 1998
(BDA anterograde tracing)



Segmenting the thalamus

Prior cortical parcelation




Resulting matrix:
Target ROIs

M1 PMC PFC

Seed voxels in Thalamus

?	?	?	
?	?	?	
?	?	?	• • •
?	?	?	
	•		•
	•		•
	•		•




Behrens et al. Nat Neuro 2003
Johansen-Berg et al. Cereb Ctx 2005



Segmenting the thalamus

Prior cortical parcelation



Resulting matrix:

Target ROIs


M1 PMC PFC

?	?	?
?	?	?
?	?	?
?	?	?

Seed voxels in Thalamus



• • •
•
•




Behrens et al. Nat Neuro 2003

Johansen-Berg et al. Cereb Ctx 2005



Segmenting the thalamus

Prior cortical parcelation




Resulting matrix:
Target ROIs

M1 PMC PFC

?	?	?	
?	?	?	
?	?	?	• • •
?	?	?	
	•		•
	•		•
	•		•

Seed voxels in Thalamus



Behrens et al. Nat Neuro 2003
Johansen-Berg et al. Cereb Ctx 2005





Segmenting the thalamus

Prior cortical parcellation





Hard thalamic parcellation



Behrens et al. Nat Neuro 2003
Johansen-Berg et al. Cereb Ctx 2005




DBS for treatment of tremor in Parkinsons






Connectivity between voxels and ROIs




Fdt GUI:





Connectivity between voxels



Resulting matrix:

ROI 1 voxels




ROI 2 voxels

?	?	?	?			
?	?	?	?			
?	?	?	?			
?	?	?	?			





Connectivity between voxels




Resulting matrix:

ROI 1 voxels





Connectivity between voxels



Fdt GUI:

PROBTRACKX Probabilistic tracking

Data Options

Basic Options

Number of samples 5000

Curvature threshold 0.2

Verbose

Loopcheck

Advanced Options

Waypoint Options


Matrix Options

- Matrix1: Seed x Seed Matrix
- Matrix2: Seed x Mask2 Matrix
- Matrix3: Mask1 x Mask2 Matrix


Go Exit Help

Dense connectome



Cortical seed (matrix1)



WM seed (matrix3)




Cortical vertices





Changes in connectivity profiles Medial Frontal Cortex




Medial area 6 contains two distinct regions with very different connectivity:

SMA and **Pre-SMA**


Can we define a border based on a change in connectivity profile?




Changes in connectivity profiles Medial Frontal Cortex



Seed voxels




Rest of brain




Rest of brain

Seed voxels






Changes in connectivity profiles Medial Frontal Cortex







Changes in connectivity profiles Medial Frontal Cortex




- Clusters in the re-ordered matrix represent seed voxels with similar connectivity
- Breaks between clusters represent where connectivity patterns change







Temporo-parietal junction
Mars 2012




Lateral Parietal
Mars 2011




Substantia Nigra
Menke 2010




Cingulate
Beckmann 2009




Lateral pre-motor
Tomassini 2007




Striatum
Tziortzi 2013




Broca's area
Klein 2007




Insular cortex
Cerliani 2012




Medial prefrontal
Johansen-Berg 2004



Thalamus
Behrens 2003





Amygdala
Saygin 2011



Occipital cortex
Thiebaut de Schotten 2013


ProbtrackX outputs

Known white matter tracts




Connectivity matrices


ROI by ROI



voxel by ROI




voxel by voxel





Overview

- Goal of tractography
- Estimating Fibre Orientations - BEDPOSTX
- Probabilistic Tractography - PROBTRACKX
- ProbtrackX outputs
- Tractography limitations





What is a quantitative measure of connectivity?

- Number of axons connecting 2 areas?
- Proportion of axons from a seed that reach a target?
- “Integrity” of the connecting white matter ...
 - Effective conductivity?
 - Degree of myelination?
 - Packing density?
- What are we measuring?
 - The probability that the **dominant** path through the diffusion field passes through this region.

- They may reflect “*Connection Strength*”
- But they do also reflect other uninteresting factors, such as:

Connection length: Longer connections have smaller probability than shorter ones


Geometric complexity: Probabilities of connections that go through regions of complex structure will be smaller than connections that go through more coherent regions

- Cross-subject comparison of the same tract is more meaningful than comparing different tracts



Can we trust tractography?




Is the direction of least hindrance to diffusion
a good proxy for fibre orientation?



mapping between axon
geometry and diffusion
profile can be
ambiguous




White matter organisation can be surprising




Whole mouse brain Electron Microscopy!
Mikula Binding Denk, Nature Methods 2012



Can we trust tractography?



In the white matter:
jumping between tracts




Near the cortex
ambiguities/biases




Validation: comparison with classical chemical tracing



CC




SLF III



IC





point of entry within the CB






DBS for treatment of tremor in Parkinsons





Functional
Connectivity



Predominant
Structural
Connections
from a Certain
Point (dot)

Structural
Connectivity



That's all folks

